# CORRECTION

## **Open Access**



# Correction to: High sensitivity troponin T and I reflect mitral annular plane systolic excursion being assessed by cardiac magnetic resonance imaging

Michèle Natale<sup>1</sup>, Michael Behnes<sup>1\*</sup>, Seung-Hyun Kim<sup>1</sup>, Julia Hofmann<sup>1</sup>, Nadine Reckord<sup>1</sup>, Ursula Hofmann<sup>1</sup>, Johannes Budjan<sup>2</sup>, Siegfried Lang<sup>1</sup>, Martin Borggrefe<sup>1</sup>, Theano Papavassiliu<sup>1</sup>, Thomas Bertsch<sup>3</sup> and Ibrahim Akin<sup>1</sup>

#### Correction to: Eur J Med Res (2017) 22:38 https://doi.org/10.1186/s40001-017-0281-x

Following publication of the original article [1], the authors reported that there was a mistake in the Methods section  $\rightarrow$  Measurements of biomarkers (page 6, line 3): 2000g should read 2500g. So, the correct sentence should be "All samples were obtained by venipuncture into serum monovettes<sup>®</sup> and centrifuged at 2500g for 10 min at 20 °C."

#### Author details

<sup>1</sup> First Department of Medicine, Faculty of Medicine Mannheim, University Medical Center Mannheim (UMM), University of Heidelberg, Theodor-Kutzer-Ufer 1-3, 68167 Mannheim, Germany. <sup>2</sup> Institute of Clinical Radiology and Nuclear Medicine, Faculty of Medicine Mannheim, University Medical Center Mannheim (UMM), University of Heidelberg, Mannheim, Germany. <sup>3</sup> Institute of Clinical Chemistry, Laboratory Medicine and Transfusion Medicine, General Hospital Nuremberg, Paracelsus Medical University, Nuremberg, Germany. The original article can be found online at https://doi.org/10.1186/ s40001-017-0281-x.

### **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 8 February 2018 Accepted: 8 February 2018 Published online: 19 February 2018

#### Reference

 Natale M, Behnes M, Kim S-H, Hofmann J, Reckord N, Hofmann U, Budjan J, Lang S, Borggrefe M, Papavassiliu T, Bertsch T, Akin I. High sensitivity troponin T and I reflect mitral annular plane systolic excursion being assessed by cardiac magnetic resonance imaging. Eur J Med Res. 2017;22:38. https://doi.org/10.1186/s40001-017-0281-x.

\*Correspondence: michael.behnes@umm.de

<sup>1</sup> First Department of Medicine, Faculty of Medicine Mannheim,

University Medical Center Mannheim (UMM), University of Heidelberg,

Theodor-Kutzer-Ufer 1-3, 68167 Mannheim, Germany

Full list of author information is available at the end of the article



© The Author(s) 2018. This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/ publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.