CORRECTION

Open Access

Correction: Role of hypoxia-mediated pyroptosis in the development of extending knee joint contracture in rats



Quan-Bing Zhang^{1†}, Lei Huo^{1†}, Mian Li², Rui Zhang¹, Ting Zhou¹, Feng Wang¹ and Yun Zhou^{1*}

Correction: European Journal of Medical Research (2024) 29:298

https://doi.org/10.1186/s40001-024-01890-9

Following publication of the original article [1], the author would like to correct the figure caption of Fig. 7 from "Fig. 7 Immobilization induced pyroptosis of fibroblast in joint capsule. A Representative images of transmission electron microscope in normal rats. B Representative images of transmission electron microscope in rats immobilized for four weeks. C Rats that did not undergo immobilization; I-1, rats that underwent 1 week of immobilization; I-2, rats that underwent 2 weeks of immobilization; I-4, rats that underwent 4 weeks of immobilization; I-6, rats that underwent 6 weeks of immobilization; I-8, rats that underwent 8 weeks of immobilization; I-7 Immobilization

[†]Quan-Bing Zhang and Lei Huo contributed equally to this work.

The original article can be found online at https://doi.org/10.1186/s40001-024-01890-9.

*Correspondence: Yun Zhou

zhouyunanhui@sina.com

¹ Department of Rehabilitation Medicine, Economic and Technological

Development Zone, The Second Affiliated Hospital of Anhui Medical

University, No. 678 Furong Road, Hefei 230601, Anhui, China ² Hefei Institute of Physical Sciences, Chinese Academy of Sciences,

Hefei 230031, Anhui, China



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, wish http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

induced pyroptosis of fibroblast in joint capsule. A Representative images of transmission electron microscope in normal rats. B Representative images of transmission electron microscope in rats immobilized for four weeks."

The bold interface needs to be removed in this correction and the original article has been corrected.



Fig. 7 Immobilization induced pyroptosis of fibroblast in joint capsule. A Representative images of transmission electron microscope in normal rats. B Representative images of transmission electron microscope in rats immobilized for four weeks

Published online: 15 July 2024

Reference

 Zhang QB, Huo L, Li M, Zhang R, Zhou T, Wang F, Zhou Y. Role of hypoxiamediated pyroptosis in the development of extending knee joint contracture in rats. Eur J Med Res. 2024;29:298. https://doi.org/10.1186/ s40001-024-01890-9.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.